

RETURN-TO-THROW PROTOCOL High School (+)

To schedule physical therapy, please visit ibji.com and find your location.

Initial Guidelines

- Go through a proper warm-up. This is to be done before picking up a baseball and should last roughly 10 minutes. You should be sweating.
 - **o** Muscle activation and mobilities − 5 minutes
 - o Dynamic warm-up − 3 minutes
 - o Static Stretching 2 minutes
- Throw at 50% 60% maximal effort (until instructed otherwise) in a comfortable zone. All throws from 90ft and further should be done with a shuffle or step and an arc, unless instructed to throw "on line." It should feel and look effortless. Make sure to hit your midline.
- Each week will have three days of throwing with a minimum of one day off in between. During all phases of the throwing program, proper throwing mechanics are imperative. This needs to be monitored to ensure that a controllable amount of stress is placed on the injured area.

Goals

- To re-establish strength, body awareness, and control of your mechanics before being allowed to return to normal pitching duties.
- This progression is based on a PASS-FAIL model.
 - o If you can complete a step pain-free, then you may progress to the next step and so forth.
 - o If you cannot complete a step due to fatigue, pain, or discomfort, stop at this step. Once this step is completed, you may continue to progress through the program.
 - o If pain is severe, you must contact your Physician, Physical Therapist, or Athletic Trainer.
 - o You may need 1-2 days or more of rest or treatment before you return to the throwing program, but must return pain free.
 - o If you have been shut down from throwing for a period of time, you should drop back one to two phases in the throwing progression from where you experienced pain.

* indicates 5 minute rest before next set of throws

Phase 1 - Flat Ground Catch - Week 1

- Work up to 45ft
- 15 throws at 30ft* (20 Days 2 + 3)
- 10 throws at 45ft* (Day 1)
- 20 throws at 45ft* (Day 2)
- 30 throws at 45ft (Day3)

Week 3

- Work up to 75ft
- 5 throws at 30ft
- 10 throws at 45ft
- 25 throws at 60ft*
- 15 throws at 75ft (20 Day 2, 25 Day 3)

Week 5

- Work up to 105ft
- 10 throws at 60ft
- 10 throws at 75ft
- 15 throws at 90ft (10 Day 3)*
- 10 throws at 105ft (15 Day 2, 25 Day 3)
- 10 throws at 60ft

Week 7 – 120ft Part II

- 10 throws at 60ft
- 10 throws at 75ft
- 10 throws at 90ft
- 15 throws at 105ft*
- 20 throws at 120ft (25 Day 2, 30 Day 3)
- 10 throws at 60ft

Week 9 - Deload Week

- 5 throws at 30ft
- 15 throws at 45ft
- 25 throws at 60ft (Day 1 only)
- 30 throws at 60ft (Day 2 only)
- 35 throws at 60ft (Day 3 only)

Week 2

- * Work up to 60ft
- * 10 throws at 30ft
- * 10 throws at 45ft
- * 20 throws at 60ft* (30 Day 2, 40 Day 3)
- * 10 throws at 30ft

Week 4 - (Now throwing at 70-80% max)

- * Work up to 90ft
- * 10 throws at 45ft
- * 10 throws at 60ft
- * 20 throws at 75ft*
- * 10 throws at 90ft (20 Day 2, 30 Day 3)
- * 10 throws at 60ft

Week 6 - 120 ft Part I

- * 10 throws at 60ft
- * 10 throws at 75ft
- * 10 throws at 90ft
- * 10 throws at 105ft*
- * 10 throws at 120ft (15 Day 2, 20 Day 3)
- * 10 throws at 60ft

Phase 2 – Flat Ground Pitching – Week 8

- * 10 throws at 60ft
- * 10 throws at 75ft
- * 10 throws at 90ft
- * 10 throws at 105ft
- * 20 throws at 120ft*
- * 10 fastballs at 60ft (15 Day 2, 20 Day 3)

Week 10 - Flat Ground

- * Warm-up to 105ft (10 throws every 15ft)
- * 15 throws at 120ft*
- * 5 throws at 105ft ON LINE
- * 5 throws at 90ft ON LINE
- * 5 throws at 75ft ON LINE
- * 10 fastballs at 60ft (15 Day 2, 20 Day 3)

Phase 3 – Off Mound – Week 11

- Warm-up toss to 120ft
- 5 warm-up fastballs (60% max)
- 15 fastballs (90% max)*
- 5-minute break with mechanics review
- 15 fastballs (90% max)

Week 13

- Warm-up toss to 120ft
- 5 warm-up fastballs (60% max)
- 15 pitches (90% max) 5 FB, 5 CH, 5 CB
- 5-minute break with mechanics review
- 15 pitches (90% max) 5 FB, 5 CH, 5 CB

Week 15 - Simulated Game - 100% Max

- Warm-up toss to 120ft
- 5 warm-up pitches (80% max)
- 1st inning 20-25 pitches max all pitches
- 5-minute break with mechanics review
- 2nd inning 20-25 pitches max all pitches

Week 12

- * Warm-up toss to 120ft
- * 5 warm-up fastballs (60% max)
- * 15 pitches (90% max) 5 FB, 5 CH, 5 FB*
- * 5-minute break with mechanics review
- * 15 pitches (90% max) 5 FB, 5 CH, 5 FB

Week 14 - Simulated Game - 100% Max

- * Warm-up toss to 120ft
- * 5 warm-ups pitches (80% max)
- * 1st inning 15 pitches max all pitches
- * 5-minute break with mechanics review
- * 2nd inning 15 pitches max all pitches

Active Rest Days

- * For throwing days between mound days
- * Warm-up toss to 120ft
- * 20 throws at 60ft (75% max)
- * 15 throws at 80ft (75% max)
- * 15 change-ups at 60ft (75% max)



RETURN-TO-THROW PROTOCOL Youth (13U and under)

To schedule physical therapy, please visit <u>ibji.com</u> and find your location.

Initial Guidelines

- Go through a proper warm-up. This is to be done before picking up a baseball and should last roughly 10 minutes. You should be sweating.
 - **o** Muscle activation and mobilities − 5 minutes
 - o Dynamic warm-up -3 minutes
 - Static Stretching 2 minutes
- Throw at 50% 60% maximal effort (until instructed otherwise) in a comfortable zone. All throws from 90ft and further should be done with a shuffle or step and an arc, unless instructed to throw "on line." It should feel and look effortless. Make sure to hit your midline.
- Each week will have **three days of throwing with a minimum of one day off in between.** During all phases of the throwing program, proper throwing mechanics are imperative. This needs to be monitored to ensure that a controllable amount of stress is placed on the injured area.

Goals

- To re-establish strength, body awareness, and control of your mechanics before being allowed to return to normal pitching duties.
- This progression is based on a PASS-FAIL model.
 - o If you can complete a step pain-free, then you may progress to the next step and so forth.
 - o If you cannot complete a step due to fatigue, pain, or discomfort, stop at this step. Once this step is completed, you may continue to progress through the program.
 - o If pain is severe, you must contact your Physician, Physical Therapist, or Athletic Trainer.
 - o You may need 1-2 days or more of rest or treatment before you return to the throwing program, but must return pain free.
 - o If you have been shut down from throwing for a period of time, you should drop back one to two phases in the throwing progression from where you experienced pain.

* indicates 5 minute rest before next set of throws

Phase 1 – Flat Ground Catch – Week 1

- Work up to 45ft
- 15 throws at 30ft* (20 Days 2 + 3)
- 10 throws at 45ft (Day 1)
- 20 throws at 45ft (Day 2)
- 30 throws at 45ft (Day3)

Week 3-60ft Part II

- Work up to 60ft
- 10 throws at 30ft
- 10 throws at 45ft*
- 35 throws at 60ft (40 Day 2, 45 Day 3)
- 10 throws at 30ft

Week 5 - Deload Week

- Work up to 60ft
- 5 throws at 30ft
- 5 throws at 45ft (10 Day 2 + Day 3)
- 15 throws at 60ft (Day 1 only)
- 20 throws at 60ft (Day 2 only)
- 25 throws at 60ft (Day 3 only)

Week 7 - 90ft Part II

- Work up to 90ft
- 10 throws at 45ft
- 10 throws at 60ft
- 10 throws at 75ft*
- 25 throws at 90ft (30 Day 2 + Day 3)
- 10 throws at 60ft

Week 9 – Deload Week

- 5 throws at 30ft
- 10 throws at 45ft
- 20 throws at 60ft (Day 1 only)
- 25 throws at 60ft (Day 2 only)
- 30 throws at 60ft (Day 3 only)

Week 2 - 60ft Part I

- * Work up to 60ft
- * 10 throws at 30ft
- * 10 throws at 45ft*
- * 20 throws at 60ft (25 Day 2, 30 Day 3)
- * 10 throws at 30ft

Week 4 - (Now throwing at 70-80% max)

- * Work up to 75ft
- * 5 throws at 30ft
- * 10 throws at 45ft
- * 25 throws at 60ft*
- * 15 throws at 75ft (20 Day 2, 25 Day 3)

Week 6 - 90ft Part I

- * Work up to 90ft
- * 10 throws at 45ft
- * 10 throws at 60ft
- * 10 throws at 75ft*
- * 10 throws at 90ft (15 Day 2, 20 Day 3)
- * 10 throws at 60ft

Phase 2 – Flat Ground Pitching – Week 8

- * 10 throws at 60ft
- * 10 throws at 75ft
- * 10 throws at 90ft*
- * 10 fastballs (Day 1 only)
- * 15 fastballs (Day 2 only)
- * 20 fastballs (Day 3 only)

Week 10 - Flat Ground

- * Warm-up to 90ft (10 throws every 15ft)
- * 5 throws at 90ft ON LINE
- * 5 throws at 75ft ON LINE
- * 5 throws at 60ft ON LINE*
- * 10 fastballs (15 Day 2, 20 Day 3)

Phase 3 – Off Mound – Week 11

- Warm-up toss to 90ft
- 5 warm-up fastballs (60% max)
- 15 fastballs (90% max)*
- 5-minute break with mechanics review
- 15 fastballs (90% max)

Week 13

- Warm-up toss to 90ft
- 5 warm-up fastballs (60% max)
- 15 pitches (100% max) 5 FB, 5 CH, 5 FB
- 5-minute break with mechanics review
- 15 pitches (100% max) 5 FB, 5 CH, 5 FB

Week 15 - Simulated Game - 100% Max

- Warm-up toss to 90ft
- 5 warm-up pitches (80% max)
- 1st inning 15-20 pitches max all pitches
- 5-minute break with mechanics review
- 2nd inning 15-20 pitches max all pitches

Week 12

- * Warm-up toss to 90ft
- * 5 warm-up fastballs (60% max)
- * 15 pitches (90% max) 5 FB, 5 CH, 5 FB*
- * 5-minute break with mechanics review
- * 15 pitches (90% max) 5 FB, 5 CH, 5 FB

Week 14 - Simulated Game - 100% Max

- * Warm-up toss to 90ft
- * 5 warm-ups pitches (80% max)
- * 1st inning 15 pitches max all pitches
- * 5-minute break with mechanics review
- * 2nd inning 15 pitches max all pitches

Active Rest Days

- * For throwing days between mound days
- * Warm-up toss to 90ft
- * 20 throws at 45ft (75% max)
- * 15 throws at 60ft (75% max)
- * 15 change-up FG (75% max)

Throwers Ten Exercise Program


The Thrower's Ten Program is designed to exercise the major muscles necessary for throwing. The Program's goal is to be an organized and concise exercise program. In addition, all exercises included are specific to the thrower and are designed to improve strength, power and endurance of the shoulder complex musculature.


1A. Diagonal Pattern D2 Extension: Involved hand will grip tubing handle overhead and out to the side. Pull tubing down and across your body to the opposite side of leg. During the motion, lead with your thumb. Perform _____ sets of ____ repetitions daily.


1B. **Diagonal Pattern D2 Flexion:** Gripping tubing handle in hand of involved arm, begin with arm out from side 45° and palm facing backward. After turning palm forward, proceed to flex elbow and bring arm up and over involved shoulder. Turn palm down and reverse to take arm to starting position. Exercise should be performed _____ sets of ____ repetitions ____ daily.

2A. External Rotation at 0° Abduction: Stand with involved elbow fixed at side, elbow at 90° and involved arm across front of body. Grip tubing handle while the other end of tubing is fixed. Pull out arm, keeping elbow at side. Return tubing slowly and controlled. Perform _____ sets of ____ repetitions

2B. Internal Rotation at 0° Abduction: Standing with elbow at side fixed at 90° and shoulder rotated out. Grip tubing handle while other end of tubing is fixed. Pull arm across body keeping elbow at side. Return tubing slowly and controlled. Perform _____ sets of _____repetitions _____ times daily.








2C. (Optional) External Rotation at 90° Abduction: Stand with shoulder abducted 90°. Grip tubing handle while the other end is fixed straight ahead, slightly lower than the shoulder. Keeping shoulder abducted, rotate shoulder back keeping elbow at 90°. Return tubing and hand to start position. I. Slow Speed Sets: (Slow and Controlled) Perform sets of repetitions times daily. II. Fast Speed Sets: Perform sets of sets of times daily.	
2D. (Optional) Internal Rotation at 90° Abduction: Stand with shoulder abducted to 90°, externally rotated 90° and elbow bent to 90°. Keeping shoulder abducted, rotate shoulder forward, keeping elbow bent at 90°. Return tubing and hand to start position. I. Slow Speed Sets: (Slow and Controlled) Perform sets of repetitions times daily. II. Fast Speed Sets: Perform sets of sets of repetitions times daily.	
3. Shoulder Abduction to 90°: Stand with arm at side, elbow straight, and palm against side. Raise arm to the side, palm down, until arm reaches 90° (shoulder level). Perform sets of repetitions times daily.	
4. Scaption, External Rotation: Stand with elbow straight and thumb up. Raise arm to shoulder level at 30° angle in front of body. Do not go above shoulder height. Hold 2 seconds and lower slowly. Perform sets of repetitions times daily.	
5. Sidelying External Rotation: Lie on uninvolved side, with involved arm at side of body and elbow bent to 90°. Keeping the elbow of involved arm fixed to side, raise arm. Hold seconds and lower slowly. Perform sets of repetitions times daily.	

6A. Prone Horizontal Abduction (Neutral): Lie on table, face down, with involved arm hanging straight to the floor, and palm facing down. Raise arm out to the side, parallel to the floor. Hold 2 seconds and lower slowly. Perform sets of repetitions times daily.	
6B. Prone Horizontal Abduction (Full ER, 100° ABD): Lie on table face down, with involved arm hanging straight to the floor, and thumb rotated up (hitchhiker). Raise arm out to the side with arm slightly in front of shoulder, parallel to the floor. Hold 2 seconds and lower slowly. Perform sets of repetitions times daily.	
6C. Prone Rowing: Lying on your stomach with your involved arm hanging over the side of the table, dumbbell in hand and elbow straight. Slowly raise arm, bending elbow, and bring dumbbell as high as possible. Hold at the top for 2 seconds, then slowly lower. Perform sets of repetitions times daily.	
6D. Prone Rowing into External Rotation: Lying on your stomach with your involved arm hanging over the side of the table, dumbbell in hand and elbow straight. Slowly raise arm, bending elbow, up to the level of the table. Pause one second. Then rotate shoulder upward until dumbbell is even with the table, keeping elbow at 90°. Hold at the top for 2 seconds, then slowly lower taking 2 – 3 seconds. Perform sets of repetitions times daily.	
7. Press-ups: Seated on a chair or table, place both hands firmly on the sides of the chair or table, palm down and fingers pointed outward. Hands should be placed equal with shoulders. Slowly push downward through the hands to elevate your body. Hold the elevated position for 2 seconds and lower body slowly. Perform sets of repetitions times daily.	


8. **Push-ups:** Start in the down position with arms in a comfortable position. Place hands no more than shoulder width apart. Push up as high as possible, rolling shoulders forward after elbows are straight. Start with a push-up into wall. Gradually progress to table top and eventually to floor as tolerable. Perform _____ sets of _____ repetitions _____ times daily.



9A. Elbow Flexion: Standing with arm against side and palm facing inward, bend elbow upward turning palm up as you progress. Hold 2 seconds and lower slowly. Perform _____ sets of _____ repetitions _____ times daily.



9B. Elbow Extension (Abduction): Raise involved arm overhead. Provide support at elbow from uninvolved hand. Straighten arm overhead. Hold 2 seconds and lower slowly. Perform _____ sets of _____ times daily.



10A. Wrist Extension: Supporting the forearm and with palm facing downward, raise weight in hand as far as possible. Hold 2 seconds and lower slowly. Perform _____ sets of _____ repetitions _____ times daily.



10B. **Wrist Flexion:** Supproting the forearm and with palm facing upward, lower a weight in hand as far as possible and then curl it up as high as possible. Hold for 2 seconds and lower slowly.



10C. **Supination:** Forearm supported on table with wrist in neutral position. Using a weight or hammer, roll wrist taking palm up. Hold for a 2 count and return to starting position. Perform _____ sets of ____ repetitions _____ times daily.





10D. **Pronation:** Forearm should be supported on a table with wrist in neutral position. Using a weight or hammer, roll wrist taking palm down. Hold for a 2 count and return to starting position. Perform ____ sets of ____ repetitions ____ times daily.



